

Technical Data

Model	Cap. retracted kg	LCD retr. mm	Cap. extended kg	LCD ext. mm	E mm	D mm	G1 mm	G2 mm	ISO	V mm	CofG Z mm	CofG Z1 mm	CofG _v Y mm	Weight kg	Price per pair 人民币
2T180CT.3	2.000	600	---	---	133	56	800	1.200	2	45	254	329	80	125	On request
2T180CT.2	2.000	600	950	1.450	133	56	1.100	1.850	2	45	383	532	61	152	On request
2T180CT	2.000	600	950	1.450	133	56	1.200	2.050	2	45	427	599	56	161	On request
2T180CT.1	2.000	600	950	1.450	133	56	1.350	2.350	2	45	495	701	50	175	On request
2,5T180CT.3	2.500	600	---	---	163	56	800	1.200	2	45	250	326	81	152	On request
2,5T180CT.2	2.500	600	1.200	1.450	163	56	1.100	1.850	2	45	377	534	62	183	On request
2,5T180CT	2.500	600	1.200	1.450	163	56	1.200	2.050	2	45	420	580	57	194	On request
2,5T180CT.1	2.500	600	1.200	1.450	163	56	1.350	2.350	2	45	487	708	51	210	On request
3,5T180CT.2	3.500	600	1.600	1.450	163	56	1.100	1.850	3	45	358	519	91	200	On request
3,5T180CT	3.500	600	1.600	1.450	163	56	1.200	2.050	3	45	401	588	84	211	On request
3,5T180CT.1	3.500	600	1.600	1.450	163	56	1.350	2.350	3	45	467	694	76	228	On request
4,5T180CT.2	4.500	600	1.850	1.450	163	56	1.100	1.850	3	45	358	519	91	200	On request
4,5T180CT	4.500	600	1.850	1.450	163	56	1.200	2.050	3	45	401	588	84	211	On request
4,5T180CT.1	4.500	600	1.850	1.450	163	56	1.350	2.350	3	45	467	694	76	228	On request
4,8T180CT	5.000	600	2.300	1.450	163	61	1.200	2.050	3	50	405	578	85	232	On request
4,8T180CT.1	5.000	600	2.300	1.450	163	61	1.350	2.350	3	50	470	681	77	251	On request
5T180CT	5.000	600	2.300	1.450	163	61	1.200	2.050	4	50	365	521	97	259	On request
5T180CT.1	5.000	600	2.300	1.450	163	61	1.350	2.350	4	50	427	618	89	277	On request

All models with parallel movement

Other capacities, profiles or lengths upon request.

The bottoms of the outer forks are fitted with hardox steel plates to prevent wear and tear.

hardox wear and tear bar can be fitted which considerably extends the durability of the telescopic forks.
With pallet stop and/or load backrest upon request



Telescopic Forks T180CT
