

with quick release system 'Terminal West'

## Technical Data

Model	Cap. per fork pair kg	LCD			G mm	CofG Z mm	CofG <sub>v</sub> Y mm	Weight per piece kg	Add-on weight for 100mm length kg	Price per piece 人民币
		mm	E mm	D mm						
12T180TW	12.000	600	200	80	1.200	250	690	270	12,6	On request
12T180TW	12.000	600	200	80	1.400	320	715	295	12,6	On request
12T180TW	12.000	600	200	80	1.600	395	735	320	12,6	On request
12T180TW	12.000	600	200	80	1.800	470	755	345	12,6	On request
12T180TW	12.000	600	200	80	2.000	550	770	370	12,6	On request
12T180TW	12.000	600	200	80	2.200	640	785	395	12,6	On request
12T180TW	12.000	600	200	80	2.400	725	840	420	12,6	On request


16T180TW	16.000	600	200	90	1.200	235	730	305	14,1	On request
16T180TW	16.000	600	200	90	1.400	305	760	333	14,1	On request
16T180TW	16.000	600	200	90	1.600	375	785	399	14,1	On request
16T180TW	16.000	600	200	90	1.800	450	805	389	14,1	On request
16T180TW	16.000	600	200	90	2.000	530	820	417	14,1	On request
16T180TW	16.000	600	200	90	2.200	615	840	445	14,1	On request
16T180TW	16.000	600	200	90	2.400	700	855	473	14,1	On request

24T180TW	24.000	600	250	90	1.200	240	735	370	17,7	On request
24T180TW	24.000	600	250	90	1.400	305	760	405	17,7	On request
24T180TW	24.000	600	250	90	1.600	380	785	440	17,7	On request
24T180TW	24.000	600	250	90	1.800	475	805	475	17,7	On request
24T180TW	24.000	600	250	90	2.000	540	825	510	17,7	On request
24T180TW	24.000	600	250	90	2.200	620	840	545	17,7	On request
24T180TW	24.000	600	250	90	2.400	705	855	580	17,7	On request

32T180TW	32.000	600	250	100	1.200	235	725	395	19,6	On request
32T180TW	32.000	600	250	100	1.400	300	760	435	19,6	On request

<b>Model</b>	Cap. per fork pair kg	LCD mm	E mm	D mm	G mm	CofG Z mm	CofG Y mm	Weight per piece kg	Add-on weight for 100mm length kg	Price per piece 人民币
<b>32T180TW</b>	32.000	600	250	100	1.600	370	785	475	19,6	On request
<b>32T180TW</b>	32.000	600	250	100	1.800	445	805	515	19,6	On request
<b>32T180TW</b>	32.000	600	250	100	2.000	525	825	555	19,6	On request
<b>32T180TW</b>	32.000	600	250	100	2.200	610	840	595	19,6	On request
<b>32T180TW</b>	32.000	600	250	100	2.400	695	855	635	19,6	On request

Other capacities available upon request.



---

### Specification:

The quickly changeable hook-on forks

T180TW of KAUP possesses a terminal west suspension. With these hook-on forks palletised load can be taken up.

---

### Qualities:

- An easy assembly
- Numerous different load-carrying capacity and hook-on fork lengths in the programme
- Robust implementation