

with independent sideshift - 2 hydraulic functions

Technical Data

Model	Cap. kg	LCD mm	S mm	A mm	B mm	D1 mm	E mm	G mm	ISO	V mm	CofG Z mm	Weight kg	Price 人民币	Add-on price per 100mm ram length 人民币
1T411ZR	1.500	500	±100	420-1.380	750	50	60	1.200	2	133	245	235	On request	On request
1T411ZR	1.500	500	±100	420-1.600	970	50	60	1.200	2	133	230	258	On request	On request
1T411ZR	1.500	500	±100	430-1.780	1.130	50	60	1.200	2	133	224	268	On request	On request
1T411ZR	1.500	500	±100	410-1.810	1.200	50	60	1.200	2	133	221	273	On request	On request
1,5T411ZR	2.300	500	±100	440-1.620	970	50	60	1.200	2	133	211	295	On request	On request
1,5T411ZR	2.300	500	±100	160-1.060	970	50	60	1.200	2	133	215	285	On request	On request
1,5T411ZR	2.300	500	±100	450-1.800	1.130	50	60	1.200	2	133	207	305	On request	On request
1,5T411ZR	2.300	500	±100	210-1.390	1.200	50	60	1.200	2	133	205	308	On request	On request
1,5T411ZR	2.300	500	±100	430-1.830	1.200	50	60	1.200	2	133	205	310	On request	On request
2T411ZR	2.800	500	±100	400-1.500	970	50	70	1.200	2	143	210	316	On request	On request
2T411ZR	2.800	500	±100	440-1.740	1.130	50	70	1.200	2	143	205	326	On request	On request
2T411ZR	2.800	500	±100	190-1.240	1.130	50	70	1.200	2	143	209	315	On request	On request
2T411ZR	2.800	500	±100	240-1.540	1.330	50	70	1.200	2	143	201	337	On request	On request
2T411ZR	2.800	500	±100	440-1.940	1.330	50	70	1.200	2	143	200	339	On request	On request
2T411ZR	2.800	500	±100	400-1.500	970	50	70	1.200	3	143	210	316	On request	On request
2T411ZR	2.800	500	±100	440-1.740	1.130	50	70	1.200	3	143	205	326	On request	On request
2T411ZR	2.800	500	±100	190-1.240	1.130	50	70	1.200	3	143	209	315	On request	On request
2T411ZR	2.800	500	±100	240-1.540	1.330	50	70	1.200	3	143	201	337	On request	On request
2T411ZR	2.800	500	±100	440-1.940	1.330	50	70	1.200	3	143	200	339	On request	On request


Also available without sideshift, model T401ZR

T411ZR also available with screw-on forks - Modell T411ZRA.

Load Backrest see model T179.



Fork Positioner with round forks T411ZR



Specification:

The KAUP hook-on Fork Positioner with Round Forks T411ZR is a robust attachment for exceptionally heavy duty operation - ideal for uneven surfaces. Spreading forces induced, for example when handling coils (several) cable drums, rolls or wire coils, can readily be supported due to the large overlap of sectional profiles between fork guide and clamp body. Speedy working cycles and millimetre accurate positioning of the transport load is possible between the forks or with the round forks.
