
Fork Carriage T013 (24.11.2026)



to enlarge the width of the original fork carriage or as false carriage for fork drop-off

Model	Cap. kg	LCD mm	B mm	ISO	V mm	CofG Z mm	$CofG_v$ Y mm	Weight kg	Price 人民币
2T013	2.500	600	920	2	65	38	206	68	On request
2T013	2.500	600	980	2	65	39	206	70	On request
2T013	2.500	600	1.020	2	65	39	206	72	On request
2T013	2.500	600	1.040	2	65	39	206	73	On request
2T013	2.500	600	1.150	2	65	41	205	93	On request
2T013	2.500	600	1.600	2	75	49	203	143	On request
3T013	3.000	500	1.020	3	75	46	256	101	On request
3T013	3.000	500	1.070	3	75	46	256	105	On request
3T013	3.000	500	1.100	3	75	46	256	107	On request
3T013	3.000	500	1.150	3	75	47	256	110	On request
3T013	3.000	500	1.300	3	75	48	255	127	On request
3T013	3.000	500	1.600	3	85	55	254	203	On request
4,8T013	5.000	600	1.150	3	75	42	278	128	On request
4,8T013	5.000	600	1.200	3	75	42	277	132	On request
4,8T013	5.000	600	1.300	3	75	43	275	145	On request
4,8T013	5.000	600	1.310	3	75	43	275	145	On request
4,8T013	5.000	600	1.350	3	75	44	274	148	On request
4,8T013	5.000	600	1.410	3	75	44	274	152	On request
4,8T013	5.000	600	1.600	3	85	51	267	220	On request
4,8T013	5.000	600	1.800	3	85	52	266	237	On request
4,8T013	5.000	600	2.000	3	85	53	265	255	On request
8T013	8.000	600	1.400	4	90	51	352	246	On request
8T013	8.000	600	1.800	4	100	60	345	348	On request
8T013	8.000	600	2.180	4	100	61	342	397	On request
8T013	8.000	600	2.260	4	110	67	338	466	On request

Load Backrest see model T179.
Other construction widths available upon request.
Avaliable in combination with quick release bottom hooks for quick change fork applications to other attachments.
Fork Carriage with artificial lost load center distance available upon request.

Fork Carriage T013







Specification:

The existing fork carriage of the

forklift truck can be extended with a KAUP Fork Carriage type T013. It

can also be used for quick change between attachments and/or forks.

Upon

request KAUP Fork Carriages can be supplied to increase the lost load

centre and as adapter fork carriage between the forklift truck and other

attachments.

Qualities:

- Solid construction for heavy duty operation
- Best visibility